

$D^*(2010)^{\pm}$

$I(J^P) = \frac{1}{2}(1^-)$
 I, J, P need confirmation.

$D^*(2010)^{\pm}$ MASS

The fit includes $D^{\pm}, D^0, D_s^{\pm}, D^{*\pm}, D^{*0}, D_s^{*\pm}, D_1(2420)^0, D_2^{*(2460)}^0$,
 and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements.

| VALUE (MeV) | DOCUMENT ID | TECN | CHG | COMMENT |
|---|---------------------------|------|-------|-----------|
| 2010.26 ± 0.05 OUR FIT | | | | |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | |
| 2008 ± 3 | ¹ GOLDHABER 77 | MRK1 | \pm | $e^+ e^-$ |
| 2008.6 ± 1.0 | ² PERUZZI 77 | LGW | \pm | $e^+ e^-$ |
| ¹ From simultaneous fit to $D^*(2010)^+$, $D^*(2007)^0$, D^+ , and D^0 ; not independent of FELDMAN 77B mass difference below. | | | | |
| ² PERUZZI 77 mass not independent of FELDMAN 77B mass difference below and PERUZZI 77 D^0 mass value. | | | | |

$m_{D^*(2010)^+} - m_{D^+}$

The fit includes $D^{\pm}, D^0, D_s^{\pm}, D^{*\pm}, D^{*0}, D_s^{*\pm}, D_1(2420)^0, D_2^{*(2460)}^0$,
 and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements.

| VALUE (MeV) | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|------|---------------|----------|-------------------------------|
| 140.603 ± 0.015 OUR FIT | | | | |
| 140.602 ± 0.014 OUR AVERAGE | | | | |
| 140.6010 $\pm 0.0068 \pm 0.0129$ | 151k | LEES | 17F BABR | $e^+ e^- \rightarrow$ hadrons |
| 140.64 $\pm 0.08 \pm 0.06$ | 620 | BORTOLETTO92B | CLE2 | $e^+ e^- \rightarrow$ hadrons |

$m_{D^*(2010)^+} - m_{D^0}$

The fit includes $D^{\pm}, D^0, D_s^{\pm}, D^{*\pm}, D^{*0}, D_s^{*\pm}, D_1(2420)^0, D_2^{*(2460)}^0$,
 and $D_{s1}(2536)^{\pm}$ mass and mass difference measurements.

| VALUE (MeV) | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|--------|-----------------------|----------|---|
| 145.4258 ± 0.0017 OUR FIT | | | | |
| 145.4258 ± 0.0020 OUR AVERAGE | | | | |
| Error includes scale factor of 1.2. | | | | |
| 145.4259 $\pm 0.0004 \pm 0.0017$ | 312.8k | LEES | 13X BABR | $D^{*\pm} \rightarrow D^0 \pi^{\pm} \rightarrow (K\pi, K3\pi)\pi^{\pm}$ |
| 145.412 $\pm 0.002 \pm 0.012$ | | ANASTASSOV 02 | CLE2 | $D^{*\pm} \rightarrow D^0 \pi^{\pm} \rightarrow (K\pi)\pi^{\pm}$ |
| 145.54 ± 0.08 | 611 | ³ ADINOLFI | 99 | BEAT $D^{*\pm} \rightarrow D^0 \pi^{\pm}$ |
| 145.45 ± 0.02 | | ³ BREITWEG | 99 | ZEUS $D^{*\pm} \rightarrow D^0 \pi^{\pm} \rightarrow (K\pi)\pi^{\pm}$ |
| 145.42 ± 0.05 | | ³ BREITWEG | 99 | ZEUS $D^{*\pm} \rightarrow D^0 \pi^{\pm} \rightarrow (K^- 3\pi)\pi^{\pm}$ |
| 145.5 ± 0.15 | 103 | ⁴ ADLOFF | 97B H1 | $D^{*\pm} \rightarrow D^0 \pi^{\pm}$ |
| 145.44 ± 0.08 | 152 | ⁴ BREITWEG | 97 | ZEUS $D^{*\pm} \rightarrow D^0 \pi^{\pm}, D^0 \rightarrow K^- 3\pi$ |

| | | | | | | |
|--|--------------|--------------|------------------------|------|------|--|
| 145.42 | ± 0.11 | 199 | ⁴ BREITWEG | 97 | ZEUS | $D^{*\pm} \rightarrow D^0 \pi^\pm,$ $D^0 \rightarrow K^- \pi^+$ |
| 145.4 | ± 0.2 | 48 | ⁴ DERRICK | 95 | ZEUS | $D^{*\pm} \rightarrow D^0 \pi^\pm$ |
| 145.39 | ± 0.06 | ± 0.03 | BARLAG | 92B | ACCM | $\pi^- 230 \text{ GeV}$ |
| 145.5 | ± 0.2 | 115 | ⁴ ALEXANDER | 91B | OPAL | $D^{*\pm} \rightarrow D^0 \pi^\pm$ |
| 145.30 | ± 0.06 | | ⁴ DECOMP | 91J | ALEP | $D^{*\pm} \rightarrow D^0 \pi^\pm$ |
| 145.40 | ± 0.05 | ± 0.10 | ABACHI | 88B | HRS | $D^{*\pm} \rightarrow D^0 \pi^\pm$ |
| 145.46 | ± 0.07 | ± 0.03 | ALBRECHT | 85F | ARG | $D^{*\pm} \rightarrow D^0 \pi^+$ |
| 145.5 | ± 0.3 | 28 | BAILEY | 83 | SPEC | $D^{*\pm} \rightarrow D^0 \pi^\pm$ |
| 145.5 | ± 0.3 | 60 | FITCH | 81 | SPEC | $\pi^- A$ |
| 145.3 | ± 0.5 | 30 | FELDMAN | 77B | MRK1 | $D^{*+} \rightarrow D^0 \pi^+$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | | | |
| 145.4256 | ± 0.0006 | ± 0.0017 | 138.5k | LEES | 13X | $BABR D^{*\pm} \rightarrow D^0 \pi^\pm \rightarrow (K^- \pi^+)_\pi^\pm$ |
| 145.4266 | ± 0.0005 | ± 0.0019 | 174.3k | LEES | 13X | $BABR D^{*\pm} \rightarrow D^0 \pi^\pm \rightarrow (K^- 2\pi^+ \pi^-)_\pi^\pm$ |
| 145.44 | ± 0.09 | 122 | ⁴ BREITWEG | 97B | ZEUS | $D^{*\pm} \rightarrow D^0 \pi^\pm,$ $D^0 \rightarrow K^- \pi^+$ |
| 145.8 | ± 1.5 | 16 | AHLEN | 83 | HRS | $D^{*+} \rightarrow D^0 \pi^+$ |
| 145.1 | ± 1.8 | 12 | BAILEY | 83 | SPEC | $D^{*\pm} \rightarrow D^0 \pi^\pm$ |
| 145.1 | ± 0.5 | 14 | BAILEY | 83 | SPEC | $D^{*\pm} \rightarrow D^0 \pi^\pm$ |
| 145.5 | ± 0.5 | 14 | YELTON | 82 | MRK2 | $29 e^+ e^- \rightarrow K^- \pi^+$ |
| ~ 145.5 | | | AVERY | 80 | SPEC | γA |
| 145.2 | ± 0.6 | 2 | BLIETSCHAU | 79 | BEBC | νp |

³ Statistical errors only.⁴ Systematic error not evaluated.

$m_{D^*(2010)^+} - m_{D^*(2007)^0}$

| VALUE (MeV) | DOCUMENT ID | TECN | COMMENT |
|--|----------------------|------|---------------|
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 2.6 ± 1.8 | ⁵ PERUZZI | 77 | LGW $e^+ e^-$ |
| ⁵ Not independent of FELDMAN 77B mass difference above, PERUZZI 77 D^0 mass, and GOLDHABER 77 $D^*(2007)^0$ mass. | | | |

$D^*(2010)^{\pm}$ WIDTH

| VALUE (keV) | CL% | EVTS | DOCUMENT ID | TECN | COMMENT |
|---|-----------|----------|-------------------------|------|--|
| 83.4 ± 1.8 OUR AVERAGE | | | | | |
| 83.3 ± 1.2 | ± 1.4 | 312.8k | ⁶ LEES | 13X | $BABR D^{*\pm} \rightarrow D^0 \pi^\pm \rightarrow (K\pi, K3\pi)_\pi^\pm$ |
| 96 | ± 4 | ± 22 | ⁶ ANASTASSOV | 02 | $CLE2 D^{*\pm} \rightarrow D^0 \pi^\pm \rightarrow (K\pi)_\pi^\pm$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | | |
| 83.4 ± 1.7 | ± 1.5 | 138.5k | ⁶ LEES | 13X | $BABR D^{*\pm} \rightarrow D^0 \pi^\pm \rightarrow (K^- \pi^+)_\pi^\pm$ |
| 83.2 ± 1.5 | ± 2.6 | 174.3k | ⁶ LEES | 13X | $BABR D^{*\pm} \rightarrow D^0 \pi^\pm \rightarrow (K^- 2\pi^+ \pi^-)_\pi^\pm$ |
| <131 | 90 | 110 | BARLAG | 92B | ACCM $\pi^- 230 \text{ GeV}$ |
| ⁶ Ignoring the electromagnetic contribution from $D^{*\pm} \rightarrow D^\pm \gamma$. | | | | | |

$D^*(2010)^{\pm}$ DECAY MODES

$D^*(2010)^-$ modes are charge conjugates of the modes below.

| Mode | Fraction (Γ_i/Γ) |
|-----------------------|--------------------------------|
| $\Gamma_1 D^0 \pi^+$ | (67.7±0.5) % |
| $\Gamma_2 D^+ \pi^0$ | (30.7±0.5) % |
| $\Gamma_3 D^+ \gamma$ | (1.6±0.4) % |

CONSTRAINED FIT INFORMATION

An overall fit to 3 branching ratios uses 6 measurements and one constraint to determine 3 parameters. The overall fit has a $\chi^2 = 0.3$ for 4 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

$$\begin{array}{cc|cc} & & & \\ & & -62 & \\ & & -43 & -44 \\ \hline x_2 & & x_1 & x_2 \\ x_3 & & & \end{array}$$

$D^*(2010)^+$ BRANCHING RATIOS

| $\Gamma(D^0 \pi^+)/\Gamma_{\text{total}}$ | Γ_1/Γ | | |
|---|-------------------|-------------|--------------------------------------|
| VALUE | DOCUMENT ID | TECN | COMMENT |
| 0.677 ± 0.005 OUR FIT | | | |
| 0.677 ± 0.006 OUR AVERAGE | | | |
| 0.6759 ± 0.0029 ± 0.0064 | 7,8,9 BARTELT | 98 CLE2 | $e^+ e^-$ |
| 0.688 ± 0.024 ± 0.013 | ALBRECHT | 95F ARG | $e^+ e^- \rightarrow \text{hadrons}$ |
| 0.681 ± 0.010 ± 0.013 | 7 BUTLER | 92 CLE2 | $e^+ e^- \rightarrow \text{hadrons}$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 0.57 ± 0.04 ± 0.04 | ADLER | 88D MRK3 | $e^+ e^-$ |
| 0.44 ± 0.10 | COLES | 82 MRK2 | $e^+ e^-$ |
| 0.6 ± 0.15 | 9 GOLDHABER | 77 MRK1 | $e^+ e^-$ |
| $\Gamma(D^+ \pi^0)/\Gamma_{\text{total}}$ | Γ_2/Γ | | |
| VALUE | EVTS | DOCUMENT ID | TECN |
| 0.307 ± 0.005 OUR FIT | | | |
| 0.3073 ± 0.0013 ± 0.0062 | 7,8,9 BARTELT | 98 CLE2 | $e^+ e^-$ |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | |
| 0.312 ± 0.011 ± 0.008 | 1404 ALBRECHT | 95F ARG | $e^+ e^- \rightarrow \text{hadrons}$ |
| 0.308 ± 0.004 ± 0.008 | 410 BUTLER | 92 CLE2 | $e^+ e^- \rightarrow \text{hadrons}$ |
| 0.26 ± 0.02 ± 0.02 | ADLER | 88D MRK3 | $e^+ e^-$ |
| 0.34 ± 0.07 | COLES | 82 MRK2 | $e^+ e^-$ |

| $\Gamma(D^+\gamma)/\Gamma_{\text{total}}$ | Γ_3/Γ | | | | |
|--|-------------------|-------------|--------------------|-------------|---------------------------------|
| <u>VALUE</u> | <u>CL%</u> | <u>EVTS</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
| 0.016 ± 0.004 OUR FIT | | | | | |
| 0.016 ± 0.005 OUR AVERAGE | | | | | |
| 0.0168 ± 0.0042 ± 0.0029 | 7,8 | BARTEL | 98 | CLE2 | e^+e^- |
| 0.011 ± 0.014 ± 0.016 | 12 | BUTLER | 92 | CLE2 | $e^+e^- \rightarrow$ hadrons |
| • • • We do not use the following data for averages, fits, limits, etc. • • • | | | | | |
| <0.052 | 90 | ALBRECHT | 95F | ARG | $e^+e^- \rightarrow$ hadrons |
| 0.17 ± 0.05 ± 0.05 | | ADLER | 88D | MRK3 | e^+e^- |
| 0.22 ± 0.12 | 10 | COLES | 82 | MRK2 | e^+e^- |
| 7 The branching ratios are not independent, they have been constrained by the authors to sum to 100%. | | | | | |
| 8 Systematic error includes theoretical error on the prediction of the ratio of hadronic modes. | | | | | |
| 9 Assuming that isospin is conserved in the decay. | | | | | |
| 10 Not independent of $\Gamma(D^0\pi^+)/\Gamma_{\text{total}}$ and $\Gamma(D^+\pi^0)/\Gamma_{\text{total}}$ measurement. | | | | | |

D*(2010)[±] REFERENCES

| | | | | |
|------------|-----|------------------------|-----------------------------|---------------------------|
| LEES | 17F | PRL 119 202003 | J.P. Lees <i>et al.</i> | (BABAR Collab.) |
| LEES | 13X | PRL 111 111801 | J.P. Lees <i>et al.</i> | (BABAR Collab.) |
| Also | | PR D88 052003 | J.P. Lees <i>et al.</i> | (BABAR Collab.) |
| Also | | PR D88 079902 (errat.) | J.P. Lees <i>et al.</i> | (BABAR Collab.) |
| ANASTASSOV | 02 | PR D65 032003 | A. Anastassov <i>et al.</i> | (CLEO Collab.) |
| ADINOLFI | 99 | NP B547 3 | M. Adinolfi <i>et al.</i> | (Beatrice Collab.) |
| BREITWEG | 99 | EPJ C6 67 | J. Breitweg <i>et al.</i> | (ZEUS Collab.) |
| BARTEL | 98 | PRL 80 3919 | J. Bartelt <i>et al.</i> | (CLEO Collab.) |
| ADLOFF | 97B | ZPHY C72 593 | C. Adloff <i>et al.</i> | (H1 Collab.) |
| BREITWEG | 97 | PL B401 192 | J. Breitweg <i>et al.</i> | (ZEUS Collab.) |
| BREITWEG | 97B | PL B407 402 | J. Breitweg <i>et al.</i> | (ZEUS Collab.) |
| ALBRECHT | 95F | ZPHY C66 63 | H. Albrecht <i>et al.</i> | (ARGUS Collab.) |
| DERRICK | 95 | PL B349 225 | M. Derrick <i>et al.</i> | (ZEUS Collab.) |
| BARLAG | 92B | PL B278 480 | S. Barlag <i>et al.</i> | (ACCMOR Collab.) |
| BORTOLETTO | 92B | PRL 69 2046 | D. Bortoletto <i>et al.</i> | (CLEO Collab.) |
| BUTLER | 92 | PRL 69 2041 | F. Butler <i>et al.</i> | (CLEO Collab.) |
| ALEXANDER | 91B | PL B262 341 | G. Alexander <i>et al.</i> | (OPAL Collab.) |
| DECAMP | 91J | PL B266 218 | D. Decamp <i>et al.</i> | (ALEPH Collab.) |
| ABACHI | 88B | PL B212 533 | S. Abachi <i>et al.</i> | (ANL, IND, MICH, PURD+) |
| ADLER | 88D | PL B208 152 | J. Adler <i>et al.</i> | (Mark III Collab.) |
| ALBRECHT | 85F | PL 150B 235 | H. Albrecht <i>et al.</i> | (ARGUS Collab.) |
| AHLEN | 83 | PRL 51 1147 | S.P. Ahlen <i>et al.</i> | (ANL, IND, LBL+) |
| BAILEY | 83 | PL 132B 230 | R. Bailey <i>et al.</i> | (AMST, BRIS, CERN, CRAC+) |
| COLES | 82 | PR D26 2190 | M.W. Coles <i>et al.</i> | (LBL, SLAC) |
| YELTON | 82 | PRL 49 430 | J.M. Yelton <i>et al.</i> | (SLAC, LBL, UCB+) |
| FITCH | 81 | PRL 46 761 | V.L. Fitch <i>et al.</i> | (PRIN, SACL, TORI+) |
| EVERY | 80 | PRL 44 1309 | P. Avery <i>et al.</i> | (ILL, FNAL, COLU) |
| BLIETSCHAU | 79 | PL 86B 108 | J. Blietschau <i>et al.</i> | (AACH3, BONN, CERN+) |
| FELDMAN | 77B | PRL 38 1313 | G.J. Feldman <i>et al.</i> | (Mark I Collab.) |
| GOLDHABER | 77 | PL 69B 503 | G. Goldhaber <i>et al.</i> | (Mark I Collab.) |
| PERUZZI | 77 | PRL 39 1301 | I. Peruzzi <i>et al.</i> | (LGW Collab.) |